



THIN series



2 Wall
Preconfigured Shower Build Kits



Shower Kits Includes

Thin Series Pan

Thin Series Drain Kit

1/2" Uberboard to 8ft height.

Installation Materials

THIN series

BUILD KIT

2 Wall

Shower Size	Shower Pan	Drain Kit	Wall Panel	Fabric	Material	Seal	Part Number
36" 36"	1@ 48"x48" CEN Drain	1@ Set	4@ 48"x36"	1@ 20ft	6@ Tubes 1@ Fasteners	1@ Set	K-T-3636-CEN-2W
36" 48"	1@ 48"x48" CEN Drain	1@ Set	2@ 48"x36" 2@ 48"x48"	1@ 20ft	6@ Tubes 1@ Fasteners	1@ Set	K-T-3648-CEN-2W
36" 60"	1@ 36"x60" CEN Drain	1@ Set	2@ 48"x36" 2@ 48"x60"	1@ 20ft	6@ Tubes 1@ Fasteners	1@ Set	K-T-3660-CEN-2W
48" 48"	1@ 48"x48" CEN Drain	1@ Set	4@ 48"x48"	1@ 20ft	6@ Tubes 1@ Fasteners	1@ Set	K-T-4848-CEN-2W
48" 60"	1@ 48"x60" CEN Drain	1@ Set	2@ 48"x48" 2@ 48"x60"	1@ 20ft	7@ Tubes 1@ Fasteners	1@ Set	K-T-4860-CEN-2W
60" 60"	1@ 60"x60" CEN Drain	1@ Set	4@ 48"x60"	1@ 20ft	8@ Tubes 1@ Fasteners	1@ Set	K-T-6060-CEN-2W

Larger size barrier free showers are possible with the use of thin pan extensions.
Please consult Ubertile technical support for more information.


Note. Increasing the thin shower tray size will increase the perimeter thickness and needs to be taken into account for a barrier free application. The standard perimeter thickness for all thin shower trays is 22mm-7/8"

Offset drain shower trays are also possible, using the thin extensions on one side. Keep in mind, the further the drain is from the shower entry, the more total slope is needed thereby increasing the total perimeter height.

Ubertile technical support can assist in configuring your Thin series shower tray if the shower size is larger than the standard Thin series sizes available.




Thin Drain Grate Color Options




THIN series

3 Wall

Preconfigured Shower Build Kits




Center Drain Placement




Shower Kits Includes


Thin Series Pan




Thin Series Drain Kit



1/2" Uberboard to 8ft height.











Installation Materials



THIN series

BUILD KIT

3 Wall

Shower Size	Shower Pan	Drain Kit	Wall Panel	Fabric	Material	Seal	Part Number
							
36" 36"	1@ 48"x48" CEN Drain	1@ Set	6@ 48"x36"	1@ 20ft	8@ Tubes 1@ Fasteners	1@ Set	K-T-3636-CEN-3W
36" 48"	1@ 48"x48" CEN Drain	1@ Set	4@ 48"x36" 2@ 48"x48"	1@ 20ft	8@ Tubes 1@ Fasteners	1@ Set	K-T-3648-CEN-3W
36" 60"	1@ 36"x60" CEN Drain	1@ Set	4@ 48"x36" 2@ 48"x60"	1@ 20ft	8@ Tubes 2@ Fasteners	1@ Set	K-T-3660-CEN-3W
48" 36"	1@ 48"x48" CEN Drain	1@ Set	2@ 36"x48" 4@ 48"x48"	1@ 20ft	8@ Tubes 2@ Fasteners	1@ Set	K-T-4836-CEN-3W
48" 48"	1@ 48"x48" CEN Drain	1@ Set	6@ 48"x48"	1@ 20ft	8@ Tubes 2@ Fasteners	1@ Set	K-T-4848-CEN-3W
48" 60"	1@ 48"x60" CEN Drain	1@ Set	4@ 48"x48" 2@ 48"x60"	1@ 20ft	9@ Tubes 2@ Fasteners	1@ Set	K-T-4860-CEN-3W
60" 36"	1@ 36"x60" CEN Drain	1@ Set	2@ 48"x36" 4@ 48"x60"	1@ 20ft	8@ Tubes 2@ Fasteners	1@ Set	K-T-6036-CEN-3W
60" 48"	1@ 48"x60" CEN Drain	1@ Set	2@ 48"x48" 4@ 48"x60"	1@ 20ft	9@ Tubes 2@ Fasteners	1@ Set	K-T-6048-CEN-3W
60" 60"	1@ 60"x60" Center Drain	1@ Set	6@ 48"x60"	1@ 20ft	11@ Tubes 2@ Fasteners	1@ Set	K-T-6060-CEN-3W

Larger size barrier free showers are possible with the use of thin pan extensions.
Please consult Ubertile technical support for more information.

Note. Increasing the thin shower tray size will increase the perimeter thickness and needs to be taken into account for a barrier free application. The standard perimeter thickness for all thin shower trays is 22mm-7/8"

Offset drain shower trays are also possible, using the thin extensions on one side. Keep in mind, the further the drain is from the shower entry, the more total slope is needed thereby increasing the total perimeter height.

Ubertile technical support can assist in configuring your Thin series shower tray if the shower size is larger than the standard Thin series sizes available.



Thin Drain Grate Color Options

